

Clarke®

CarpetMaster 200 Series

Dual Motor Vacuums



www.clarkeus.com

Clarke®

Cleaning Power Since 1916.

The CarpetMaster 200 Dual Motor Series: *Built for Speed, Without the Fatigue!*

Designed with the benefits of a dual motor vacuum:

Better Productivity: 1350 watts of total cleaning power optimally allocated to driving the brush and vacuum independently. The result is a one-pass cleaning capability which saves up to 20% in cleaning time.

Carefree Operation: The brush stops turning when the operator is detail cleaning with the wand and tools.

CarpetMaster doesn't weigh you down!

Unlike most dual-motor vacuums, the CarpetMaster has its vacuum motor located at the base of the machine. The result is a lighter handle weight. That means less fatigue for the operator.

A Practical Vacuum with Features that Matter

- HEPA filtration comes standard
- Quick-draw detail wand with secure easy-access tools
- Bright, prominent bag light alerts the operator to change the bag or check for clogs
- Quick and simple bag replacement
- Easy access to air channel in base to clear clogs
- No-tools access to brush for easy change
- Simple brush height adjustment
- 2-year service free cog style sealed belt
- Non-marking bumper
- 50 ft. safety yellow cord



Light handle weight won't fatigue the operator.



50 ft. safety yellow cord wraps quickly and allows the operator to clean large areas while keeping passers by safe.



Easy to use quick-draw detailing wand and tools.

Loaded with Features and Benefits!



Easy to change brush. Simply unlock the brush and pull out.



Convenient access to standard HEPA filter.



Simple controls make the CarpetMaster easy to operate and maneuver. Convenient handle location assists operator with lifting up stairs, onto carts and more.



Hose removes for quick clog checks.



Quick and simple bag replacement. Just lower the bag holder and pull your used bag out, then slide in a new bag and snap holder back into place. Easy as 1-2-3!



Tool and storage compartment is located directly behind the quick-draw wand.

CarpetMaster Upright Vacuum



Key Features

- High productivity, dual motor cleaning without the fatigue
- HEPA filtration comes standard
- Easy to use detailing wand and tools
- Easy maintenance features

SPECIFICATIONS

	CarpetMaster 212	CarpetMaster 215	CarpetMaster 218
Part Number	9060208020	9060408010	9060508010
Vacuum Motor	120V, 60 Hz, 1000 watt, 9 amp, 2-stage		
Brush Motor	120V, 60 Hz, 350 watt		
Motor Protection	Airflow bypass valve and thermal overload protection		
Suction (waterlift) / Airflow	92" / 93 cfm		
Brush	Dual row, chevron style, nylon with variable manual adjustment		
Brush Speed	2800 RPM		
Cleaning Path	11.5" (29.2 cm)	14.5" (36.8 cm)	17.5" (44.5 cm)
Filtration	2-ply paper filter bag, motor protection filter, HEPA exhaust filter		
Bag Capacity	4.2 qt. (4 L)		
Power Cable	50 ft. (15 m) 18/3 wire, safety yellow		
Sound Level	69 dB(A)		
On-board Tools	4:1 stretch hose, wand, crevice and upholstery tools		
Dimensions (L x W x H)	13 x 12 x 44" (33 x 30 x 113 cm)	13 x 15 x 44" (33 x 38 x 113 cm)	13 x 18 x 44" (33 x 46 x 113 cm)
Weight (with cord)	21 lbs. (9.5 kg)	21.3 lbs. (9.7 kg)	22 lbs. (10 kg)
Warranty	Motors and belts - 2 Years, Non-wear parts - 1 Year, Labor - 1 Year		

WHO USES THIS MACHINE?

- Schools & Universities
- Hospitals and Nursing Facilities
- Government Facilities
- Churches
- Fitness Centers

WHAT DOES IT DO BEST?

- Picks up loose soil and groom carpet
- Contain dust at HEPA levels
- Above the floor detailing

WHAT ARE THE SAFETY FEATURES?

- Easy-to-use cord restraint
- Safety yellow cord
- HEPA filtration
- Easy on the ears - 69 dB(A) sound level

WHAT ENHANCES ITS PRODUCTIVITY?

- Dual motor, one pass power
- Choice of 3 sizes
- Light handle weight
- Convenient handle in front for easy lifting

WHAT ENHANCES ITS DURABILITY?

- Rugged ABS plastic construction
- 2-year service free belt
- Bypass valve to protect motor
- Brush light and shut-off protects from abuse

Clarke®
2100 Highway 265
Springdale, AR 72764
www.clarkeus.com

DISTRIBUTED BY:

Customer Relations: 1.800.253.0367
Fax Orders to: 1.800.825.2753
Technical Service: 1.800.356.7274

©2008 ALTO U.S. Inc., All Rights Reserved. Specifications subject to change without notice. P/N 70508A 09/08

